

ProGauge

CONSOLES

We believe in choice



Consoles engineered for precision



DIGIMON 16 T

Compact ingenuity.

This robust, weatherproof console is suitable for all outdoor environments and can monitor up to 16 fuel tanks. The graphical colour touchscreen display is capable of displaying a wide range of messages, meaning you can navigate to the right information quickly, and with ease. Explosion proof ('Ex') certified, this console supports remote installation and once running, provides a true, 24/7 operating functionality.

Manages up to 16 tanks

Graphical color TFT 2,7" display

No. 4 capacitive function keys for menu management

No. 1 RS232 - No. 2 RS485 serial ports

No. 4 SPDT low power programmable relays

No. 4 digital inputs

Explosion proof enclosure IP68 protection

Power supply 9-30 Vdc and internal battery with measure on request through a magnet when power to console is lost



DIGIMON LCD ATEX

Small but smart.

Like its big brother the Digimon 16 T, the Digimon LCD console is engineered to perform in all weather conditions. Featuring an LCD display, the console is perfectly designed to relay all of the necessary tank information in a succinct and immediately accessible manner. If you have only one tank to monitor, then this is all you need.

Backlit alphanumeric display, 16 x 2 lines

Safe and easy programming through set-up software

No. 2 RS485 serial connections for Multipoint bus

No. 1 RS232 serial connection for data transmission and configuration

No. 4 NO/NC low power programmable relays alarm Explosion proof IP68 enclosure

Power supply 9-30 Vdc and internal battery with measure on request through a magnet when power to console is lost



MagDirect

Safety first.

The MagDirect unit offers a direct interface to the probe from the point-of-sale system. Designed for use with the Tokheim FuelPOS™ and Wayne™ Fusion automation server, the MagDirect is equipped with an intrinsically safe barrier to offer the highest level of protection against electricity surges. Up to 8 probes can be connected to the MagDirect at any one time.



Level Monitor

Effortlessly reliable.

Small installations, such as home depots, maintenance garages and commercial fuelling locations, can be catered for using the Level Monitor. The entry-level console supports up to two, Ex certified probes and features a simple, user-friendly screen for fast access to tank gauge data.

Aluminium enclosure IP65
Alphanumeric display 20 x 2 lines, 40 digits
Power supply 9-30 Vdc or 220 Vac
No. 2 RS485 - No. 1 RS232 serial ports
No. 4 NO/NC low power programmable relays alarms



MagConnect

Cable management made simple.

The MagConnect is a user-friendly junction box that offers individual connections for each probe. With only a single cable required between the junction box and console, installing the device couldn't be easier.

...and if you want it all



MagLink LX

I ink the world.

The MagLink LX is a feature-rich solution based on a Linux platform, offering flexible configurations for use in variety of fuelling set ups, both wired and wireless. This console is able to manage up to 32 probes effortlessly. A web-based and easy to follow user interface quickly enables the operator to access a variety of simplified menus. Multiple Point of Sale (POS) interfaces are supported.

Manages up to 32 tanks

Colour resistive touch screen TFT 7" display

RS485 - RS232

No. 4 low power programmable relays

No. 6 digital inputs

Ethernet ports

Power supply: 230 Vac

Real-time clock

